

BELOW-GROUND POOL INSTALLATION INSTRUCTIONS



BECAUSE THIS TYPE OF INSTALLATION IS PERMANENT AND MORE DIFFICULT THAN AN ABOVE-GROUND INSTALLATION, USE OF THESE INSTRUCTIONS IS LIMITED TO PROFESSIONAL INSTALLERS WITH THE REQUISITE SKILLS. Doughboy Recreational is in no way affiliated with any professional installer, and assumes no responsibility for installation errors. Check with your local building department to see if any permits are required before beginning installation. These instructions cover preparation for installation without decking, concrete decking, or redwood decking on 48" and 52" tall pools. Carefully read all instructions before starting installation. Failure to follow these instructions will void the pool warranty. If you are unsure about any aspect of the installation process, consult with Doughboy's Customer Service Department before beginning.

Preparations for concrete deck or installation without decking both require backfilling (see instructions for PREPARATION FOR INSTALLATION WITHOUT DECKING OR CONCRETE DECK, FIG.S 1 & 2). Redwood deck preparation requires a sloping over-dig without backfilling if your soil characteristics allow this type of installation (see instructions in PREPARATION FOR REDWOOD DECK FIG. 3).

To avoid rain runoff from traveling to the pool wall and decking, the pool site should be located at the highest elevation in the yard with the surrounding landscape sloping away from the pool.

The typical plumbing installation shown in Fig. 4 is provided for reference only, and may not represent a plumbing solution for all pool sites and/or equipment. Equipment that may require special plumbing considerations are pool lights, fountains, and chlorinators. Always consult accessory owner's manuals before plumbing the pool.

EXCAVATION

- 1. The perimeter excavation is sized according to the actual pool size, plus a 18 inch over-dig all around the pool. Locate the ground preparation dimensions pertaining to the <u>clearance borders</u> for your size pool found in the large fold out assembly guide packed with the pool parts. Excavate the pool area following those dimensions. If you decide to excavate an optional deep swim area, follow the instructions also found in that same assembly guide.
- 2. The depth of the excavation will vary depending on the height of the pool desired deck type. Use the dimensions shown in Fig.s 1, 2, or 3 to calculate the excavation depth for your pool height and deck choice.
- 3. After completing the excavation, the pool frame and wall must be installed according to instructions in the assembly guide packaged with your pool parts.

SKIMMER AND RETURN FITTING INSTALLATION

Skimmer and return fitting installation must be completed prior to filling the pool with water and backfilling with slurry mix. DURING LINER AND SKIMMER INSTALLATION, DO NOT CUT OUT THE SKIMMER OPENING. If your skimmer is supplied with u-gaskets, discard the skimmer u-gasket and instead use the separate flat skimmer gaskets method, one gasket inside the wall, and one outside (available from your Doughboy dealer). It's recommended that you use a silicone lubricant on both sides of the two skimmer gaskets. **Do not remove the liner bordered within the skimmer faceplate at this time.**

Install the return fitting and gasket. Trim the liner from the return opening and install the winterizing/shutoff disk provided with your skimmer.

PLUMBING

To avoid possible hose collapse, you must hard plumb with PVC pipe and fittings from the skimmer and return fittings to your filtration equipment (see Fig. 4). If you use flexible PVC pipe, be sure that it is not kinked before covering with soil or backfill slurry. Install a check valve in the suction line between the pump and filter to prevent losing pump prime. Locate the check valve as close to the pump elevation as possible, and where it is accessible for maintenance.

FILL POOL

Fill the pool with water to within 1" to 2" of top of pool wall. This procedure is absolutely necessary in order to resist the pressure exerted on the wall by the backfill slurry. Failure to fill the pool completely with water prior to backfilling could cause pool wall collapse.




FIG. 1 - PREPARATION FOR CONCRETE OR PAVER BLOCK DECK INSTALLATION




FIG. 2 - PREPARATION FOR INSTALLATION WITHOUT DECKING




FIG. 3 - PREPARATION FOR REDWOOD DECK INSTALLATION

*Minimum grade to top rail distance must be maintained to allow for liner replacement.

Slope over-dig away from pool to allow access for installation of concrete deck piers and supports. In cases where soil is composed of heavy clay, or impedes adequate drainage, installation of an automatic sump pump is recommended. CAUTION: This type of installation is suitable only if the surrounding soil is firm enough to resist cave-in and/or excessive erosion. If there is any doubt about adequate soil stability, backfill with a slurry mix as shown in PREPARATION FOR INSTALLATION WITHOUT DECKING OR INSTALLATION FOR CONCRETE OR PAVER BLOCK DECK and install redwood decking over the slurry backfill.






FIG. 4 - TYPICAL PLUMBING INSTALLATION

FIG. 5 - DECK ELEVATION



NOTE: KEEP BACKFILL SLURRY 1/2" MIN. BELOW LOWEST VERTICAL SCREW (7" FLARE FRAME SHOWN)



FORMS

It is recommended that you build forms around the skimmer and any above-ground pool lighting accessories prior to backfilling. An air space left around the skimmer and accessories will provide the easiest access for maintenance or plumbing repairs. If soil is composed of heavy clay, or a type that impedes adequate drainage, installation of an automatic sump pump at the bottom of the formed area is recommended. The pump will drain runoff and/or overflow water from the formed area away from the outside pool wall. **CAUTION:** Backfilling directly against the skimmer body will make it harder to access any future plumbing leaks or blockage. The installer should advise the pool owner of same and make sure the owner understands that Doughboy is in no way responsible for expenses related to locating or repairing leaks, cutting, chipping, and/or removing decking or backfill material. If after consultation with the pool owner, a decision is made to backfill directly against the skimmer body, keep the slurry a minimum of 5" below the top rail so that the skimmer body's top section can be removed for maintenance or repair.

BACKFILL SLURRY PREPARATION

1. Mix concrete and plaster sand (dry) and add water to produce a slurry that will harden to a compressive strength of 300-400 P.S.I.. The objective is to have the cavity area filled with a hardened mixture that can withstand outside ground forces during liner replacement, but can be broken away and removed if pool or plumbing repairs are necessary. There are two methods for preparing the slurry mix as follows:

<u>METHOD 1:</u> Prepare a dry mixture of Portland cement and plaster sand at a ratio of 1-1/2 sacks of cement per ton (2000 lb.s) of dry mixture. Backfill the 18 inch wide cavity with 3 ft. of the dry mixture and jet with water to produce a slurry. Either apply several consecutive layers of dry mix and jet each layer with water, or fill the cavity with dry mix and use PVC pipe inserted into the mix at varied levels and locations to jet the mixture with water.

<u>METHOD 2:</u> Prepare a mixture of Portland cement, and plaster sand mixed with water to produce a slurry at a ratio of 1-1/2 sacks of cement per ton (2000 lb.s) of dry mixture. Use a commercial cement pump to spread the slurry in the cavity. Work around the pool, evenly applying the mixture in layers. **To avoid indenting the pool wall, be extremely careful not to direct the force of the slurry stream against the wall.** NOTE: Consult with your local concrete company to make sure their pumper can work with a mixture of this consistency.

IMPORTANT CAUTION: Regardless of the method of slurry preparation and application you use, **you must monitor the pool wall closely during the entire backfilling process to verify that the pool wall does not indent.** If a indent appears, stop backfilling immediately and have someone enter the pool to push out the indent. If you are unable to remove the indent, relieve pressure against the wall by removing backfill slurry from the affected area, and push out the indent. Carefully refill the area with slurry. **Continue to monitor the pool wall until the slurry mix is well set.**

- 2. To eliminate the possibility of pool wall corrosion, pool overflow and runoff water must be directed away from the wall. Finish the setting slurry to a **1/4" per foot minimum slope** away from the pool wall as shown.
- 3. After the slurry mixture is completely set, lower the water level to the upper line on the skimmer faceplate and cut away the liner in the skimmer opening. Remove the winterizing/shutoff disk and install the directional eyeball.

DECKING MATERIALS

Typical decking materials include concrete, paver blocks, and redwood. Before backfilling and plumbing the pool, be sure to give careful consideration to design and construction factors related to integrating the decking with the pool. Provisions must be made to allow the pool liner to be replaced when needed. To replace the liner; pool top rails, vertical end caps, plastic coping, and stabilizer rails must be removed. Concrete or paver block decking top elevations must be kept at a height 1/2" minimum below the lowest screw at the top of the vertical (see Fig. 5). When installing redwood decking, it is strongly recommended that the deck design allows partial deck disassembly to permit access for liner replacement.

IMPORTANT CAUTION: Accumulations of loose material between the backfill slurry and pool wall can eventually push the wall inward. If extra material is added between the slurry and decking material to elevate the deck to the desired height, only use a mortar mix that will set up solidly.



