



Replacement salt cells come in 6-month or 12-month models. They're interchangeable, so either one works with any Salt & Swim unit.

Learn more about affordable luxury in salt chlorination — the Hayward Salt & Swim Chlorinator — visit www.hayward.com

Pounds of Salt Needed for 3200 ppm

Gallons and (liters) of Pool/Spa water	Salt needed in Pounds*	Salt needed in Kilograms*
5,000 (18,500)	134	61
10,000 (37,500)	267	121
15,000 (56,000)	400	182
20,000 (75,000)	533	242
25,000 (93,000)	667	303

*Assumes no salt (0 ppm) in pool/spa water to start

Salt & Swim™ vs. Nearest Competitor

Feature	Salt & Swim	Nearest Competitor
Pool size	Up to 25,000 gals.	Up to 35,000 gals. claimed
Chlorine production	0.98 lbs/day @ 3000ppm	0.93 lbs/day @ 4000ppm (requires higher salt levels)
Minimum flow rate	15 GPM	40 GPM—problem at low speeds (e.g. VSP)
Minimum plumbing length needed	10 inches	30 inches—not DIY friendly due to re-plumbing issues
Flow Switch	Does not require additional piping; engineered in the replacement cell with automatic directional flow orientation	Separate piece requires install and available piping; directionally dependent
Product orientation	Orientation independent	Cannot be installed past 45 degrees to the vertical
Polarity reversal	Every 3 hours	Every 5 hours—scaling can be an issue
Superchlorination	YES	NO
Warranty	2-year limited	2-year limited
Low temperature cutoff	Yes, reduced output at 60°F and shut-off at 50°F and below	None—can cause over-chlorination in cold water and cause damage to cell
Chlorine settings	0-100% in 10% increments, finer output adjustment	0-100% in 20% increments

Salt & Swim is for in-ground Pools up to 25,000 Gallons

Part #	Description	Warranty
DIY-6	Salt & Swim system complete with a 6-month* salt cell	2-year (control); 6-months (cell)
DIY-12	Salt & Swim system complete with a 12-month* salt cell	2-year (control); 12-months (cell)
GLX-DIY-6	6-month* Replacement salt cell	6-months
GLX-DIY-12	12-month* Replacement salt cell	12-months

*Expected service life of the cell

To take a closer look at Salt & Swim or other Hayward products, go to www.hayward.com or call 1-888-HAYWARD.



HAYWARD®

620 Division Street | Elizabeth, NJ 07201



Hayward is a registered trademark and Salt & Swim is a trademark of Hayward Industries, Inc. U.S. and International patents pending. © 2011 Hayward Industries, Inc.

LITSLSWSTF11



HAYWARD®

Salt & Swim™

SALT CHLORINATION SYSTEM



Easy, affordable, year-round salt chlorination.



Total System: Pumps | Filters | Heating | Cleaners
Sanitization | Automation | Lighting | Safety | White Goods

SANITIZATION

Salt & Swim™

is the most affordable way to move up to a salt chlorinated pool and experience softer, silkier water.

Now, for pool owners who've only dreamed of owning a salt chlorinated pool, Salt & Swim is an answer that fits into most household budgets. Softer, silkier water can happen in just 20 minutes and assembles in 4-easy steps. It's so simple, pool owners may even have fun installing it.

Salt & Swim is ideal for family pools that get a lot of use and owners who spend too much time managing their water chemistry. No more mixing, measuring or messing around with liquid or tablet chlorine. Say goodbye to red eyes, dry skin and chlorine odor.



Each Salt & Swim chlorinator comes with a control unit, a chlorinator cell and either a 6-month or 12-month salt cell.

The #1 value in salt chlorination from the #1 company in salt chlorination.

To date, more Hayward® salt chlorination systems have been installed in North America than any other two manufacturers combined. Hayward knows salt chlorination and people trust Hayward. Pool owners will save on installation costs and over time the cost of Salt & Swim and its replacement cells will be similar to chemical chlorine.

Compare do-it-yourself chlorinators

Hayward Salt & Swim is the industry's best value in salt chlorinators. Compare it to the nearest competitor. Salt & Swim is far more likely to install without re-plumbing, because of the smaller length of plumbing needed as well as its independence on installation orientation. It also performs better, has a more finely-tuned dispensing capability and can operate at much lower flow rates. Salt & Swim is truly a do-it-yourself installation with no gluing required and includes installation and pool chemistry quick-start guides in the box.

The pool owner Salt & Swim CHECKLIST

Are you ready to move up to salt chlorination—take the test.

- ☒ Looking for an affordable method to move up to salt?
- ☒ In-ground pool less than 25,000 gallons?
- ☒ 120V GFCI outlet within 18 feet of pool equipment pad (note: power cords should not be placed on active walkways)?
- ☒ Do you have 10 inches of straight plumbing after all of the pool equipment (i.e., filter, heater, etc)?
- ☒ Do you have 20 minutes?

To install you will need:

1. A saw (hacksaw or other) to cut through plumbing
2. Salt (see table for amount needed)
3. A drill and bit (wood or masonry) to drill and screw holes to mount the control box

Two options for you

Salt & Swim is available in a 6-month version for northern climates and a 12-month version for pools that are open year-round. Both come with a control unit that automatically makes chlorine naturally, from ordinary salt. Salt & Swim cells are interchangeable, so once the unit is installed, pool owners can choose either a 6-month or 12-month replacement cell.