

 *Plastica*



WOODEN ECO & FUN POOLS



Small Eco

HEAVY
ITEM



The Eco range of pools are specifically designed pool packages to give customers the luxury of a complete wooden pool package at a low cost. It measures compact 4m internally (Volume 11500L/2500galls)

FREE
delivery
England and
Wales
mainland

Package contains:

- Redwood Wall Structure
- Two Piece Softwood Top
- Corner Cover Plates
- Internal Stainless Ladder
- External Softwood Ladder
- Felt Underlay for floor
- 0.375mm Plain Blue Liner
- Skimmer and Return Fitting
- 360mm Sand Filter
- 6-way Multiport Valve
- 0.75hp Pump
- Flexible Pipe and Fittings
- Installation Manual



Small Eco

DISCOUNT/
PRODUCT CODE

DESCRIPTION

L5 EWP102K

⚙️ ▲ Small Eco Kit

Large Eco

HEAVY
ITEM



The Large Eco is a 5.5m octagonal internally (Volume 21400L/4700galls) and is a great sized pool for most gardens at a fantastic budget.

FREE
delivery
England and
Wales
mainland

Package contains:

- Redwood Wall Structure
- Two Piece Softwood Top
- Corner Cover Plates
- Internal Stainless Ladder
- External Softwood Ladder
- Felt Underlay for floor
- 0.375mm Plain Blue Liner
- Skimmer and Return Fitting
- 360mm Sand Filter
- 6-way Multiport Valve
- 0.75hp Pump
- Flexible Pipe and Fittings
- Installation Manual



Large Eco

DISCOUNT/
PRODUCT CODE

DESCRIPTION

L5 EWP103K

⚙️ ▲ Large Eco Kit

Large Stretched Eco

HEAVY
ITEM



The Large Stretched Eco is a great sized pool for families and more serious swimmers at a fantastic budget. (Volume 34200L/7523galls)

FREE
delivery
England and
Wales
mainland

Package contains:

- Redwood Wall Structure
- Two Piece Softwood Top
- Corner Cover Plates
- Internal Stainless Ladder
- External Softwood Ladder
- Felt Underlay for floor
- 0.375mm Plain Blue Liner
- Skimmer and Return Fitting
- 360mm Sand Filter
- 6-way Multiport Valve
- 0.75hp Pump
- Flexible Pipe and Fittings
- Installation Manual



Large Stretched Eco

DISCOUNT/
PRODUCT CODE
L5 EWP104K

DESCRIPTION
* ▲ Large Stretched Eco Kit

Wooden Pool Filtration Enclosures

- Securely house your pool filtration, heating etc
- Full height of pool
- Designed to be fitted to skimmer wall
- Double front doors
- Easily removable top for complete access
- Top trap for easy skimmer maintenance

Wooden Pool Filtration Enclosure

DISCOUNT/
PRODUCT CODE

DESCRIPTION

PRICE
EACH

L2 WFE100 * Standard Wooden Pool Plant Enclosure



Backboard shown for
illustration purposes only



Wooden Fun Pool

HEAVY
ITEM



FREE
delivery
England and
Wales
mainland



- Redwood Walls & Structure
- Single Piece Softwood Top
- Mid Blue Liner and Felt Underlay
- Pipework and fittings
- Installation Guide
- Can be positioned on a flat level lawn
- Filtration upgrade available
- 10ft models include skimmer and inlet cut-out
- 8ft model includes inlet and low level suction cut-out
- Standard packages includes Cartridge Filter
- Upgrade packages includes 0.25hp Filter Pump Pack

A new addition to the affordable above ground pool market. Aesthetically pleasing to compliment your garden. Can be used above ground or submerged in ground.

Fun pools come with the same great 10 year warranty and quality of manufacture as our Premium Wooden Pools.

Fun Pool

DISCOUNT/ PRODUCT CODE	DESCRIPTION
L5 WFP008K	8ft Fun Pool
L5 WFP010K	10ft Fun Pool
L5 WFP010UK	10ft Fun Pool (Upgraded)
L5 WFP0104K	10ft Fun Pool - 4ft depth
L5 WFP0104UK	10ft Fun Pool - 4ft depth (Upgraded)



8ft Fun Pool



10ft Fun Pool



10ft Fun Pool - 4ft depth



Standard Package Filtration
Intex 28638BS



Upgrade Package Filtration
Krystal Klear - 28644



Recommended Ladders
28072 (up to 0.9m models) or 28074
(1.24m deep model)




Recommended Heater
Elecro Plug n Play - Nano N-AGP-
UK-T

Wooden Pool Solar Covers

- Budget solar cover for wooden pools
- Reduce heating costs and chemical usage
- 200 micron
- 0.22g per sq.m
- 1 year pro-rata warranty (UK & Eire only)



Note: These covers require trimming on site



Premium Reel System

- Anti-spin locking device on wheels
- Complete with connectors for new or existing covers
- Tube extends from 3.66m to 5.49m
- Maximum area of cover 50 sq.m.

Above Ground Reel

DISCOUNT/ PRODUCT CODE	DESCRIPTION
G2 ERC310 Above Ground	

- 2 fixed stands
- Height adjustable
- Fixed to the pool side



Above Ground – ERC310

Deck Reel

DISCOUNT/ PRODUCT CODE	DESCRIPTION
G2 ERC320 Decking	

- Ideal for wooden pools or decked surrounds
- One fixed end fastens to the surround
- Universal joint enables reel to be moved away from pool side



Decking Reel – ERC320

Solar Pod™

- For above ground pools up to 4,500 litres
- Compact size of 580mm x 580mm
- Coil made of strong polypropylene
- Strong transparent polycarbonate dome
- Easy connection
- Connect multiple units for larger pools
- Works with existing pool pump*
- Minimal tools required (Philips screwdriver and silicon lubricant)
- Tilts to achieve best angle for sun
- No servicing required (other than winterising)



- Solar Pod includes:
- Main base with stand
 - 1.25" to 1.5" hose reducer
 - Collared tube adaptor
 - Hose clamps
 - 1m and 0.36m hoses
 - Side hose connector x2
 - Hose ID 38mm
 - Clear dome
 - Solar protection cover

Solar Pod™

DISCOUNT/ PRODUCT CODE	DESCRIPTION
K POD001	☑ Solar Pod
K POD051	☑ Solar Pod Accessories Kit
K POD053	☑ Additional Hose (Short – 375mm x 1.5")
K POD054	☑ Additional Hose (Long – 975mm x 1.5")

Note: For use with Intex standard filtration you will need to purchase 1.25" hose (see page 171).

Note: The heating efficiency of Solar Pods is directly related to climatic conditions. Plastica cannot guarantee that solar heating will maintain a constant pool temperature and recommend installation of a secondary heat source.



Solar Pod Accessories Kit – POD051

Note: Any more than 3 Solar Pods should be plumbed in parallel.

Solar Pod™ Plus

- For above ground pools up to 9,000 litres
- 780mm x 780mm x 450mm
- Coil made of strong polypropylene
- Strong transparent dual polycarbonate domes
- Easy connection
- Connect multiple units for larger pools
- Works with existing pool pump*
- Minimal tools required (Philips screwdriver and silicon lubricant)
- Tilts to achieve best angle for sun
- No servicing required (other than winterising)
- Reflective underside for optimum heat gain



- Solar Pod Plus includes:
- Main base with stand
 - 1.25" to 1.5" hose reducer
 - Collared tube adaptor
 - Hose clamps
 - 1m and 0.36m hoses
 - Hose ID 38mm
 - Side hose connector x2
 - Clear dome
 - Solar protection cover

Solar Pod™ Plus

DISCOUNT/ PRODUCT CODE	DESCRIPTION
K POD002	☑ Solar Pod Plus
K POD052	☑ Solar Pod Plus Accessories Kit
K POD053	☑ Additional Hose (Short – 375mm x 1.5")
K POD054	☑ Additional Hose (Long – 975mm x 1.5")



Solar Pod Plus Accessories Kit – POD052

Note: The heating efficiency of Solar Pods is directly related to climatic conditions. Plastica cannot guarantee that solar heating will maintain a constant pool temperature and recommend installation of a secondary heat source.

Nano Plug & Play Heater



- Titanium elements
- Safety thermal cut-out included (manual reset)
- 2m power cord with UK plug
- 230V single phase 13amp load
- Flow switch - no pump interlock required
- Fully pre-wired
- Control thermostat
- 3 year warranty

Supplied connection options:

- 1.5" female threaded
- 50mm plain female socket unions
- 1.5" plain female socket unions
- 1.5" / 1.25" hometail connectors



Can be mounted horizontal or vertical

Nano Plug & Play Heater

DISCOUNT/ PRODUCT CODE	DESCRIPTION
H N-AGP-UK-T	3kW

1.7"/43mm Wooden Pool Ladder

MADE
TO
ORDER




- 316 stainless steel tube
- Suitable for any depth of pool
- Easily removable for cover installation

1.7"/43mm Wooden Pool Ladder

DISCOUNT/ PRODUCT CODE	DESCRIPTION	PRICE EACH
D PSL436RWS	3-Tread	£390.00
ESC043	Flange Cover Plate	£19.50



PSL600AKR Removable ladder



Above Ground Winter Debris Covers

- Woven polyethylene
- Comes complete with Winch and Cable
- Use during the Summer or Winter



Relax Large Above Ground Water Treatment Kit

- 1kg Stabilised Chlorine Granules
- 1.5kg pH Minus
- 1kg pH Plus
- 0.5 Litre Concentrated Algicide
- pH / Chlorine Test Strips
- Guide to Operating Above Ground Pools



Relax Above Ground Water Treatment Kit

DISCOUNT/
PRODUCT CODE

DESCRIPTION

T5 RCH063 Above Ground Pool Water Treatment Kit

Wooden Pool Pipework Kit

- Pipework Kit for addition of electric heaters or other plant

Wooden Pool Pipework Kit

DISCOUNT/
PRODUCT CODE

DESCRIPTION

PRICE
EACH

L2 WPU200K Pipework Kit



Counter Current Units

- Operate with air switch button (not supplied)
- PINCC17 - Controls 1 x 3hp pump (13.4amp)
- PINCCDUO - Controls 2 x 3hp pumps (11amp) with one press of air switch, time delay between pumps to reduce start-up current.
- Compact enclosure



Counter Current Controllers

DISCOUNT/ PRODUCT CODE	DESCRIPTION	PRICE EACH
K PINCC17	Counter Current Controller (single pump 13.4a)	
K PINCCDUO	Counter Current Controller (dual pump 11a)	

ESPA Nadorself

DISCOUNT/ PRODUCT CODE	DESCRIPTION
K NCP300	Nadorself 300



ESPA Wiper 3

DISCOUNT/ PRODUCT CODE	DESCRIPTION
K WIP300	Wiper3 300 Single Phase 3HP



See page 43 for further details

Wooden Pool Dimensions

HEAVY
ITEM

When purchasing a Plastica wooden pool, you will be sure to find the help you need to build your product to a high standard.

If the wooden pool requires metal braces, you can pre order them to be delivered before the rest of the pool package you have chosen. This means you can build the recommended concrete base and position your metal braces, well before having your pool delivered. This can save you time and for smaller sites can save you working space.

The wooden structure does not require any further treatment.

On Premium Pools we recommend the use of decking oil to keep your hard wood top shelving in beautiful condition.

All pools are supplied with plan drawing laminates and a self- build installation manual.

For further technical information on Plastica Wooden Pools you can go to www.woodenpools.net. There you can find information such as Metal Brace positions, concrete base drawings, Installation Manuals and more.

	External		Internal			Concrete Base		
	Length	Width	Length	Width	Height	Length	Width	Thickness
Eco Small octagon	4.240m	4.240m	3.695m	3.695m	1.177m	4.383m	4.383m	0.150m
Eco Large octagon	5.600m	5.600m	5.082m	5.082m	1.177m	5.770m	5.770m	0.150m
Eco Large Stretched	8.045m	5.600m	7.527m	5.082m	1.177m	8.215m	5.770m	0.150m
10ft Fun pool 3ft deep	3.046m	3.046m	2.817m	2.817m	0.899m	3.734m	3.734m	0.150m
10ft Fun pool 4ft deep	3.046m	3.046m	2.817m	2.817m	1.239m	3.734m	3.734m	0.150m
8ft Fun pool	2.484m	2.484m	2.252m	2.252m	0.739m	3.172m	3.172m	0.150m

Wooden Pool Accessories



- Switches pump on when the water falls below set temperature
- Supplied complete with temperature probe
- Digital display of temperature
- Low and high set point are adjustable (on/off)

Frost Stat

DISCOUNT/ PRODUCT CODE	DESCRIPTION
K DHG-2	Frost Protection Thermostat Controller



- Compact design with wired remote time clock for small plant room
- Suitable for 0.75hp to 1hp pumps as standard
- Option to supply circuit breaker for pumps up to 3hp
- Built-in 100w 12v transformer for LED lights

Control Panel

DISCOUNT/ PRODUCT CODE	DESCRIPTION
K PI31014LTEID	Control Panel (filtration + 100w transformer)

Note: When using Mini Chroma RGBW you will require a BRIO-RC instead of the BRIO100-RC supplied in the light kit.

NB: Panel should be mounted inside



Circuit Breakers


DISCOUNT/ PRODUCT CODE	DESCRIPTION
K GZ1M07	1.6 - 2.5amp (0.33hp = 2.2amp)
K GZ1M08	2.5 - 4amp (0.50hp = 3.12amp)
K GZ1M14	6 - 10amp (1.5hp = 7.6amp)
K GZ1M16	9 - 14amp (2hp = 10.4amp)

The above circuit breakers are to replace the standard units supplied with PI31014LTEID and PI310ID Control Panels. The adjustable dial must be set to the correct amp setting, in correspondence with the pumps registration plate.

- Compact design
- No need for conduit or deck box

Mini Chroma Niche

DISCOUNT/ PRODUCT CODE	DESCRIPTION
K PF10R192	Mini Chroma Niche for c/w backnut





Plastica Limited, Perimeter House, Napier Road
St Leonards-on-Sea, East Sussex TN38 9NY UK

Tel: +44 (0) 1424 857857 • Fax: +44 (0) 1424 857858
info@plasticapools.net

www.plasticapools.net

